


Spare Parts

■ ROTIX

CEG043 | CEG044




BOM ID	Part #	Description
1	BTS058	MICROBE/ROTIX handle
2	MA385	COVER BOLT, M4x8 (4mm THD LENGTH) SHCS TYPE, SST
3	CES095	QuickLink tail
4	MA042	Axle retaining ring - 6mm
5	CES012	Non-magnetic wheel
6	BTS040	MICROBE/ROTIX front pivot
7	MA222	COVER BOLT, M4x6 (3mm THD LENGTH) SHCS TYPE, SST

Spare Parts

■ ROTIX

CEG043 | CEG044



Edmonton Office: 780.922.4534
Houston Office: 832.564.0626
Rotterdam Office: +31 85 002 0801

Email: info@jireh.com
Web: jireh.com



Spare Parts



CEG043 | CEG044

BOM ID	Part #	Description
1	BG0038-20	Frame bar, 20 cm
2	BG0038-45	Frame bar, 45 cm
3	BTS049	Stabilizer wheel (<i>see Stabilizer Wheel</i>)
4	EA470	10 mm (3/8 in) wrench
5	UMA026-__	J100 encoder cable (<i>see Encoder Connector Type</i>)
6	PHG014	2 probe spare parts kit
7	EA414	Hex driver, 3 mm (0.118 in)
8	CMG007	Irrigation kit, 2-4 probe
9	CES096	QuickLink mounting bracket
10	EES019	Dovetail QuickLink
11	EES004	QuickLink
12	CEA036	ROTIX case
13	BG0091	Cable clip
14	EES014	QuickLink buckle

Encoder Connector Type


Connector Type	Company/Instrument	Connector Type	Company/Instrument
B	Olympus OmniScan MX Zetec Topaz	G	Sonotron Isonic 25xx
C	Olympus Focus LT Zetec Z-Scan Eddyfi Ectane 2	U	Sonatest Veo / Prisma
E	Olympus OmniScan SX/MX2/X3 M2M MANTIS/GEKKO LEMO	V	Pragma PAUT
F	TD (<i>Technology Design</i>)	AD	Sonatest Veo / Prisma - Single Axis

NOTE: Additional encoder connector types available. Contact JIREH for more information.

Spare Parts

■ ROTIX

Stabilizer Wheel



BOM ID	Part #	Description
1	BGS008	Magnetic Wheel Block
2	MD074-006	BHCS, M5x0.8 X 6mm, SST
3	BTS031	Magnetic wheel
4	MA042	Axle retaining ring - 6mm

Frame Bar

Part #	Length	Part #	Length
BG0038-05	5 cm (1.97 in)	BG0038-10	10 cm (3.94 in)
BG0038-15	15 cm (5.91 in)	BG0038-20	20 cm (7.87 in)
BG0038-25	25 cm (9.84 in)	BG0038-30	30 cm (11.81 in)
BG0038-35	35 cm (13.78 in)	BG0038-40	40 cm (15.75 in)
BG0038-45	45 cm (17.72 in)	BG0038-50	50 cm (19.69 in)
BG0038-55	55 cm (21.65 in)		